

### **INVINCIBLE COLLIERY**

# **Monthly Environmental Monitoring Data**

for

### Castlereagh Coal

#### 1 INTRODUCTION

Castlereagh Coal owns and operates Invincible Colliery located near Cullen Bullen in the Central West district of New South Wales. This report has been prepared pursuant to Chapter 2, Part 3.5, Condition 66(6) of the *Protection of the Environment operations Act 1997* for the publication of results of monitoring and the NSW Environmental Protection Authority guideline titled *Requirements for publish pollution monitoring data (2012)*.

### 2 ENVIRONMENT PROTECTION LICENCE DETAILS

### **Invincible Colliery (EPL 1095)**

Licensee: Shoalhaven Coal Pty Ltd

Address: Invincible Colliery, Castlereagh Highway, Cullen Bullen, NSW 2790

Link: <a href="http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50798&SYSUID=1&LICID=1095">http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50798&SYSUID=1&LICID=1095</a>

### 3 AIR QUALITY

#### 3.1 DEPOSITIONAL DUST

Depositional dust gauges for the February 2021 monitoring period were collected on the 8 March 2021. All depositional dust sampling locations were in compliance with the annual average limit (4g/m²/month) for the month of February 2021. Maximum annual increase in deposited dust levels are also below the criteria limit of 2 g/m²/month. Depositional dust monitoring results are presented in **Table 1**.

## MONTHLY ENVIRONMENTAL MONITORING DATA





Table 1 Depositional Dust Monitoring Results

Obtained: 22/03/2021 Licensee: Invincible Colliery
Licensee: Shoalhaven Coal
Published: 7/04/2021 EPL number: 1095

Exposure Period: 32 days

		Exposure Perioa:	32 days	
Sampling Point	Start Date	End Date	Insoluble Solids (g/m²/month)	Rolling Annual Average (g/m²/month)
ID-D1 (EPA Point 3)	4/2/2021	8/3/2021	0.1	0.7
ID-D2 (EPA Point 4)	4/2/2021	8/3/2021	0.3	0.3
ID-D3 (EPA Point 5)	4/2/2021	8/3/2021	0.3	0.6
ID-D4 (EPA Point 6)	4/2/2021	8/3/2021	1.0	0.5
ID-D5 (EPA Point 7)	4/2/2021	8/3/2021	0.5	0.5
	4.0			

Required Frequency: Monthly - exposure period 30 ± 2 days

## 3.2 PM<sub>10</sub> AND TSP (HIGH VOLUME AIR SAMPLERS)

Monitoring of particulate concentrations less than ten (10) micrometres ( $PM_{10}$ ) was undertaken using High Volume Air Sampler (HV01) on a six (6) day, 24 hour run cycle. The total suspended particulate (TSP) concentration was determined from the  $PM_{10}$  concentrations. Annual average concentrations for TSP and  $PM_{10}$  were in compliance with the annual average limit. The 24-hour  $PM_{10}$  concentrations for February did not exceed the 24-hour average maximum allowable limit of  $50\mu g/m^3$ .

PM<sub>10</sub> and TSP results for February are presented in **Table 2**.

 Table 2
 High Volume Air Sampler Monitoring Results

		Premise:	Invincible	Colliery
Obtained:	22/03/2021	Licensee:	Shoalhave	en Coal
Published:	7/04/2021	EPL numl	ber: 1095	
Sampling Point		Run Date	PM <sub>10</sub> (μg/m³)	TSP (µg/m³)^
		2-Feb-21	5	12.5
HVAS 1 (EPA Point 3)		8-Feb-21	5	12.5
		14-Feb-21	6	15
		20-Feb-21	5	12.5
		26-Feb-21	14	35
Rolling Annual Average (calculation period Mar-20 to Feb-21)			7.0	17.4
24 Hour Limit			50	
		Annual Average Limit	30	90

Note: Results in italics indicates the results were less than laboratory detection limit.

Required Frequency: Weekly – High Volume Air Sample run events occur every six days for 24 hours.

-- No Limit



#### 4 WATER QUALITY

A discharge event is deemed to occur when water leaves the site either through the overflow channel of the Main Dam or as a result of actively pumping water. No discharge events were observed during the site visit on the 4 February; therefore, no sample was required to be collected at Discharge Point 2 (EPA Point 2). A sample was also collected from Main Dam for due diligence purposes only. Water quality results are presented in **Table 3**.

 Table 3
 Discharge Water Quality Results

Sampled: 4/	2/2021	Premise:	Invincible Colliery	
<b>Obtained:</b> 22/03/2021		Licensee:	Shoalhaven Coal	
<b>Published:</b> 7/04/2021		EPL number	: 1095	
Sampling Point	Frequency	Pollutant	100 Percentile Concentration Limit ^	Sample Concentration
Main Dam <sup>1</sup>	Monthly (for due diligence)	pH (pH unit)		7.40
		TSS (mg/L)		<5
		Oil & Grease (mg/L)		<5
Discharge Point 2 (EPA Point 2)	Monthly during discharge	pH (pH unit)	6.5 - 8.5	NS
		TSS (mg/L)	30	NS
		Oil & Grease (mg/L)	10	NS

NS - no sample, no discharge event.

The pH, total suspended solids (TSS) and oil and grease concentration was compliant with the EPL limits.

### 5 NOISE LIMITS

Attended noise monitoring is required to be undertaken on a quarterly frequency. Environmental Noise Monitoring results for previous quarters are available on the Castlereagh Coal website: <a href="http://www.castlereaghcoal.com.au/?page\_id=1101">http://www.castlereaghcoal.com.au/?page\_id=1101</a>

### 6 BLASTING

No blasting was undertaken during February 2021.

### 7 DISCLAIMER

This report is considered accurate at the date of issue with regard to current environmental conditions. Monitoring results may vary from those presented in this report following further assessment. This report must not be reproduced except in full. Results or figures from this report must not be used without acknowledgment.

Yours Faithfully,

### **CASTLEREAGH COAL**

<sup>&</sup>lt;sup>1</sup> – sample collected for due diligence purposes only.

<sup>--</sup>No limit applies