

INVINCIBLE COLLIERY

Monthly Environmental Monitoring Data

for

Castlereagh Coal

1 INTRODUCTION

Castlereagh Coal owns and operates Invincible Colliery located near Cullen Bullen in the Central West district of New South Wales. This report has been prepared pursuant to Chapter 2, Part 3.5, Condition 66(6) of the *Protection of the Environment operations Act 1997* for the publication of results of monitoring and the NSW Environmental Protection Authority guideline titled *Requirements for publishing pollution monitoring data (2012).*

2 ENVIRONMENT PROTECTION LICENCE DETAILS

Invincible Colliery (EPL 1095)

Licensee: Shoalhaven Coal Pty Ltd

Address: Invincible Colliery, Castlereagh Highway, Cullen Bullen, NSW 2790

Link: http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50798&SYSUID=1&LICID=1095

3 AIR QUALITY

3.1 DEPOSITIONAL DUST

Depositional dust gauges for the February 2022 monitoring period were collected on 4 March 2022. All depositional dust sampling locations were in compliance with the annual average limit (4g/m²/month) for the month of February 2022. Maximum annual increase in deposited dust levels are also below the criteria limit of 2 g/m²/month. Depositional dust monitoring results are presented in **Table 1**.

MONTHLY ENVIRONMENTAL MONITORING DATA



February 2022

 Table 1
 Depositional Dust Monitoring Results

			Premise:	Invincible Colliery			
Obtained: 28/03/2022		Licensee:	Shoalhaven Coal				
Published: 28/03/2022		EPL number:	1095				
		Exposure Period:	29 days				
Sampling F	Point	Start Date	End Date	Insoluble Solids (g/m²/month)	Rolling Annual Average (g/m²/month)		
ID-D1 (EPA P	Point 3)	3 February 2022	4 March 2022	0.5	0.3*		
ID-D2 (EPA P	Point 4)	3 February 2022	4 March 2022	0.5	0.3		
ID-D3 (EPA Point 5)		3 February 2022	4 March 2022	0.5	0.4		
ID-D4 (EPA Point 6)		3 February 2022	4 March 2022	0.3	0.5		
ID-D5 (EPA P	Point 7)	3 February 2022	4 March 2022	0.3	0.2		
Annual Average Limit 4.0							

Required Frequency: Monthly - exposure period 30 ± 2 days

3.2 PM₁₀ AND TSP (HIGH VOLUME AIR SAMPLERS)

Monitoring of particulate concentrations less than ten (10) micrometres (PM_{10}) was undertaken using High Volume Air Sampler (HV01) on a six (6) day, 24 hour run cycle. The total suspended particulate (TSP) concentration was determined from the PM_{10} concentrations. Annual average concentrations for TSP and PM_{10} were in compliance with the annual average limit. The 24-hour PM_{10} concentrations for February did not exceed the 24-hour average maximum allowable limit of $50\mu g/m^3$.

PM₁₀ and TSP results for January are presented in **Table 2**.

 Table 2
 High Volume Air Sampler Monitoring Results

		Premise:	Invincible	Colliery	
Obtained: 28/03/2022		Licensee:	Shoalhave	en Coal	
Published:	28/03/2022	EPL numb	ber: 1095	1095	
Sampling Point		Run Date	PM ₁₀ (μg/m³)	TSP (µg/m³)^	
		3-Feb-22	4.0	10.0	
HVAS 1 (EPA Point 3)		9-Feb-22	8.7	21.8	
		15-Feb-22	10.1	25.3	
		21-Feb-22	8.0	20.0	
		27-Feb-22	4.2	10.5	
Rolling Annual Average (calculation period March-21 to February-22)			5.3	13.3	
		24 Hour Limit	50		
		Annual Average Limit	30	90	

Note: Results in italics indicates the results were less than laboratory detection limit.

Required Frequency: Weekly – High Volume Air Sample run events occur every six days for 24 hours.

-- No Limit

^{*} Excludes the November 2021 result based on the combustible matter content.



4 WATER QUALITY

A discharge event is deemed to occur when water leaves the site either through the overflow channel of the Main Dam or as a result of actively pumping water. Water was observed to be discharging from the Main Dam during the site visit on 22 February 2022. A sample was collected at Discharge Point 2 (EPA Point 2). Water quality results are presented in **Table 3**.

Table 3 Discharge Water Quality Results

Sampled: 22	2/02/2022	Premise:	Invincible Colliery	
Obtained: 28/03/2022		Licensee: Shoalhaven Coal		
Published: 28	8/03/2022	EPL number	: 1095	
Sampling Point	Frequency	Pollutant	100 Percentile Concentration Limit ^	Sample Concentration
	Monthly (for due diligence)	pH (pH unit)		NA
Main Dam ¹		TSS (mg/L)		NA
		Oil & Grease (mg/L)		NA
Disabassa Daist 01	Weekly during discharge	pH (pH unit)	6.5 - 8.5	7.1
Discharge Point 2 ¹ (EPA Point 2)		TSS (mg/L)	30	6
(LI A FOIII 2)		Oil & Grease (mg/L)	10	<5

¹ – sample only collected for due diligence purposes only when no discharge is occurring.

The pH, total suspended solids (TSS) and oil and grease concentration was compliant with the EPL limits.

5 NOISE LIMITS

Attended noise monitoring is required to be undertaken on a quarterly frequency. Environmental Noise Monitoring results for previous quarters are available on the Castlereagh Coal website: www.ccoal.com.au/environmental-reporting-compliance/

6 BLASTING

No blasting was undertaken during February 2022.

7 DISCLAIMER

This report is considered accurate at the date of issue with regard to current environmental conditions. Monitoring results may vary from those presented in this report following further assessment. This report must not be reproduced except in full. Results or figures from this report must not be used without acknowledgment.

Yours Faithfully,

CASTLEREAGH COAL

⁻⁻No limit applies