

CULLEN VALLEY MINE

Monthly Environmental Monitoring Data

for

Castlereagh Coal

1 INTRODUCTION

Castlereagh Coal owns and operates Cullen Valley Mine located near Cullen Bullen in the Central West district of New South Wales. This report has been prepared pursuant to Chapter 2, Part 3.5, Condition 66(6) of the *Protection of the Environment operations Act 1997* for the publication of results of monitoring and the NSW Environmental Protection Authority guideline titled *Requirements for publish pollution monitoring data* (2012).

2 ENVIRONMENT PROTECTION LICENCE DETAILS

Cullen Valley Mine (EPL 10341)

Licensee: Shoalhaven Coal Pty Ltd

Address: Cullen Valley Mine, Portland Road, Cullen Bullen NSW 2790

Link: http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50797&SYSUID=1&LICID=10341

3 AIR QUALITY

3.1 DEPOSITIONAL DUST

All depositional dust sampling locations were in compliance with the rolling annual average limit (4g/m²/month) for the period July 2021 to June 2022. Depositional dust monitoring results are presented in **Table 1**.



Table 1Depositional Dust Monitoring Results: June 2022

			Premise:	Cullen Valley Mine	
Obtained: 08/07/2022		Licensee:	Shoalhaven Coal		
Published:	Published: 15/07/2022		EPL number:	10341	
			Exposure Period:	31 days	
Sampling Point		Start Date	End Date	Insoluble Solids (g/m²/month)	Rolling Annual Average
CDD1 (Railway)		03-Jun-22	04-Jul-22	0.2	0.3
CDD2 (Hillcroft)		03-Jun-22	04-Jul-22	0.2	0.4
CDD3 (Office)		03-Jun-22	04-Jul-22	0.4	0.3
CDD4 (Cranes)		03-Jun-22	04-Jul-22	0.6	0.3
CDD5 (Doble)		03-Jun-22	04-Jul-22	0.2	0.4
				Annual Average Limit	4.0

Required Frequency: Monthly - exposure period 30 ± 2 days.

3.2 PM₁₀ AND TSP

The 24-hour maximum PM_{10} particulate matter concentration less than 10 microns (PM_{10}) criterion of $50\mu g/m^3$ was not exceeded during June 2022. The total suspended particulate (TSP) and PM_{10} annual average results were in compliance with the annual average limit for June 2022.

PM₁₀ and TSP monitoring results are presented in **Table 2**.

Table 2High Volume Air Sampler Monitoring Results: June 2022

		Premise:	Cullen Vall	ey Mine
Obtained: 08/07/2022		Licensee:	Shoalhave	n Coal
Published:	15/07/2022	EPL numbe	er: 10341	
Sampling Point		Run Date	PM ₁₀ (μg/m³)	TSP (μg/m³)^
HVAS1		03-Jun-22	<0.1	0.3
		09-Jun-22	<0.1	0.3
		15-Jun-22	4.2	10.5
		21-Jun-22	3.2	8.0
		27-Jun-22	<0.1	0.3
		Rolling Annual Average	4.4	11.1
	(calculation peri	od July 2021 to June 2022)		
		24 Hour Limit	50	
		Annual Average Limit	30	90

Note: Results in italics indicates the results were less than laboratory detection limit.

Required Frequency: High Volume Air Sample run event every six days for 24 hours

-- No Limit $\,^{\wedge}$ TSP result is an estimate obtained from a calculation of the PM $_{10}$ concentration.



4 SURFACE WATER QUALITY

A discharge event is deemed to occur when water leaves the site either through the overflow channel of either Dam 3 or Dam 4, or as a result of actively pumping water. A discharge event was not observed At Dam 3 during the site visit on 20 June 2022; therefore, a sample was not required to be collected at Dam 3 (EPA Point 1). A discharge event was observed at Dam 4 (EPA Point 4) on 20 June 2022. A discharge sample was collected from Dam 4. A sample was collected from Dam 3 for due diligence purposes only. Water quality results are presented in **Table 3**.

 Table 3 Monthly Surface Water Quality Results: June 2022

Sampled: 20/0	06/2022	Premise:	Cullen Valley Mine	
Obtained: 08/0	7/2022	Licensee:	Shoalhaven Coal	
Published: 15/0	7/2022	EPL number:	10341	
Sampling Point	Frequency	Pollutant	Limit	Measurement
	Weekly during discharge	pH (pH unit)	6.5 – 8.5	6.8
		TSS (mg/L)	50	11
Dom 2 /FDA Doint 1\1		Oil & Grease (mg/L)	10	<5
Dam 3 (EPA Point 1) ¹		Conductivity (μS/cm)*		537
		Total Iron (mg/L)*		0.24
		Total Manganese (mg/L)*		0.280
		pH (pH unit)	6.5 – 8.5	6.5
		TSS (mg/L)	50	<5
Dam 4 (FDA Daint 4)1	Weekly	Oil & Grease (mg/L)	10	<5
Dam 4 (EPA Point 4) ¹) ¹ during discharge	Conductivity (µS/cm)*		740
	a.sc.iarge	Total Iron (mg/L)*		0.09
		Total Manganese (mg/L)*		0.145

¹ – sample collected for due diligence purposes only.

The pH, total suspended solids (TSS) and oil and grease concentration was compliant with the EPL limits at both sites, however samples from Dam 3 was taken for due diligence purposes only.

5 NOISE LIMITS

Attended noise monitoring is undertaken on a quarterly frequency. Noise monitoring reports are available on the Castlereagh Coal website: www.ccoal.com.au/environmental-reporting-compliance/

6 BLASTING

No blasting was undertaken during June 2022.

7 DISCLAIMER

This report is considered accurate at the date of issue with regard to current environmental conditions. Monitoring results may vary from those presented in this report following further assessment. This report must not be reproduced except in full. Results or figures from this report must not be used without acknowledgment.

Yours faithfully,

CASTLEREAGH COAL

⁻⁻ No limit provided in EPL 10341