

## **CULLEN VALLEY MINE**

## **Monthly Environmental Monitoring Data**

for

### Castlereagh Coal

### 1 INTRODUCTION

Castlereagh Coal owns and operates Cullen Valley Mine located near Cullen Bullen in the Central West district of New South Wales. This report has been prepared pursuant to Chapter 2, Part 3.5, Condition 66(6) of the *Protection of the Environment operations Act 1997* for the publication of results of monitoring and the NSW Environmental Protection Authority guideline titled *Requirements for publish pollution monitoring data* (2012).

#### 2 ENVIRONMENT PROTECTION LICENCE DETAILS

# **Cullen Valley Mine (EPL 10341)**

Licensee: Shoalhaven Coal Pty Ltd

Address: Cullen Valley Mine, Portland Road, Cullen Bullen NSW 2790

Link: http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=50797&SYSUID=1&LICID=10341

## 3 AIR QUALITY

### 3.1 DEPOSITIONAL DUST

All depositional dust sampling locations were in compliance with the rolling annual average limit  $(4g/m^2/month)$  for the period June 2022 to May 2023. Maximum annual increase in deposited dust levels are also below the criteria limit of  $2 g/m^2/month$ . Depositional dust monitoring results are presented in **Table 1**.



Table 1Depositional Dust Monitoring Results: May 2023

		_	remise:	Cullen Valley Mine	
<b>Obtained:</b> 9/06/20		2023 <b>L</b>	icensee:	Shoalhaven Coal	
<b>Published:</b> 16/06/2023		/2023 <b>E</b>	PL number:	10341	
		E	xposure Period:	29 days	
Sampling P	oint	Start Date	End Date	Insoluble Solids	Rolling Annual
		- 1 1		(g/m²/month)	Average
CDD1 (Railway)		3/05/2023	1/06/2023	0.7	0.5
CDD2 (Hillcroft)		3/05/2023	1/06/2023	0.9	0.4
CDD3 (Office)		3/05/2023	1/06/2023	0.6	0.6
CDD4 (Cranes)		3/05/2023	1/06/2023	1.7	1.1
CDD5 (Doble)		3/05/2023	1/06/2023	0.9	0.6
			_	Annual Average Limit	4.0

Required Frequency: Monthly - exposure period  $30 \pm 2$  days.

# 3.2 PM<sub>10</sub> AND TSP

The 24-hour maximum  $PM_{10}$  particulate matter concentration less than 10 microns ( $PM_{10}$ ) criterion of  $50\mu g/m^3$  was not exceeded during March 2023. The total suspended particulate (TSP) and  $PM_{10}$  annual average results were in compliance with the annual average limit for the period June 2022 to May 2023.

PM<sub>10</sub> and TSP monitoring results are presented in **Table 2**.

Table 2High Volume Air Sampler Monitoring Results: May 2023

		Premise:	Cullen Vall	ey Mine	
<b>Obtained:</b> 9/06/2023		Licensee:	Licensee: Shoalhaven Coal		
Published:	16/06/2023	EPL numbe	r: 10341	10341	
Sampling Point		Run Date	PM <sub>10</sub> (μg/m³)	TSP (μg/m³)^	
HVAS1		05-May-23	6.5	16.3	
		11-May-23	6.0	15.0	
		17-May-23	3.7	9.3	
		23-May-23	5.3	13.3	
		29-May-23	1.4	3.5	
	(Calculation perio	Rolling Annual Average od June 2022 to May 2023)	5.7	14.2	
	_	24 Hour Limit	50		
		Annual Average Limit	30	90	

Required Frequency: High Volume Air Sample run event every six days for 24 hours

<sup>--</sup> No Limit ^ TSP result is an estimate obtained from a calculation of the PM<sub>10</sub> concentration.



## 4 SURFACE WATER QUALITY

A discharge event is deemed to occur when water leaves the site either through the overflow channel of either Dam 3 or Dam 4, or as a result of actively pumping water. A discharge event was not observed At Dam 3 during the site visit on 17 May 2023 therefore, a sample was not required to be collected at Dam 3 (EPA Point 1). A sample was collected from Dam 3 for due diligence purposes only. A discharge event was observed at Dam 4 (EPA Point 4) on 17 May 2023. A discharge sample was collected from Dam 4. Water quality results are presented in **Table 3**.

**Table 3** Monthly Surface Water Quality Results: May 2023

Sampled: 17/0	)5/2023	Premise:	Cullen Valley Mine	
Obtained: 9/06	5/2023	Licensee:	Shoalhaven Coal	
Published: 16/0	06/2023	EPL number:	10341	
Sampling Point	Frequency	Pollutant	Limit	Measurement
	Weekly during discharge	pH (pH unit)	6.5 – 8.5	8.0
		TSS (mg/L)	50	8
Dom 2 /FDA Doint 1)1		Oil & Grease (mg/L)	10	<5
Dam 3 (EPA Point 1) <sup>1</sup>		Conductivity (μS/cm)*		528
		Total Iron (mg/L)*		0.05
		Total Manganese (mg/L)*		0.035
		pH (pH unit)	6.5 – 8.5	7.8
		TSS (mg/L)	50	<5
Dama 4 (EDA Daint 4)	Weekly during discharge	Oil & Grease (mg/L)	10	<5
Dam 4 (EPA Point 4)		Conductivity (μS/cm)*		642
	a.sc.iarge	Total Iron (mg/L)*		<0.05
		Total Manganese (mg/L)*		0.122

<sup>&</sup>lt;sup>1</sup> – sample collected for due diligence purposes only.

The pH, total suspended solids (TSS) and oil and grease concentration were compliant with the EPL limits at Dam 4 which was discharging at the time of sampling. Dam 3 was sampled for due diligence purposes only.

### 5 NOISE LIMITS

Attended noise monitoring is undertaken on a quarterly frequency. Noise monitoring reports are available on the Castlereagh Coal website: <a href="https://www.ccoal.com.au/environmental-reporting-compliance/">www.ccoal.com.au/environmental-reporting-compliance/</a>

#### 6 BLASTING

No blasting was undertaken during May 2023.

## 7 DISCLAIMER

This report is considered accurate at the date of issue with regard to current environmental conditions. Monitoring results may vary from those presented in this report following further assessment. This report must not be reproduced except in full. Results or figures from this report must not be used without acknowledgment.

Yours faithfully,

### **CASTLEREAGH COAL**

<sup>--</sup> No limit provided in EPL 10341