

**INVINCIBLE COLLIERY**  
**Monthly Environmental Monitoring Data**  
**for**  
**Castlereagh Coal**

**1 INTRODUCTION**

Castlereagh Coal owns and operates Invincible Colliery located near Cullen Bullen in the Central West district of New South Wales. This report has been prepared pursuant to Chapter 2, Part 3.5, Condition 66(6) of the Protection of the Environment Operations Act 1997 for the publication of results of monitoring and the NSW Environmental Protection Authority guideline titled Requirements for publishing pollution monitoring data (2013).

**2 ENVIRONMENTAL PROTECTION LICENCE DETAILS**

**Licensee:** Shoalhaven Coal Pty Ltd

**Address:** Invincible Colliery, Castlereagh Highway, Cullen Bullen, NSW 2790

**Link:** <https://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=287085&SYSUID=1&LICID=1095>

**3 ENVIRONMENTAL PROTECTION LICENCE DETAILS**

**3.1 DEPOSITIONAL DUST**

All depositional dust sampling locations were in compliance with the rolling annual average limit (4 g/m<sup>2</sup> /month) for the period March 2025 to February 2026. The maximum annual increase in deposited dust levels is also below the criteria limit of 2 g/m<sup>2</sup> /month.

Depositional dust monitoring results are presented in **Table 1**.

Table 1: Depositional Dust Monitoring Results: February 2026

<b>Obtained:</b> 02/04/2026 <b>Published:</b> 08/04/2026		<b>Premise:</b> Invincible Colliery <b>Licensee:</b> Shoalhaven Coal Pty Ltd <b>EPL Number:</b> 1095 <b>Exposure Period:</b> 31 days		
Sampling Point	Start Date	End Date	Insoluble Solids (g/m <sup>2</sup> /month)	Rolling Annual Average (g/m <sup>2</sup> /month)
ID-D1 (EPA Point 3)	06/02/2026	09/03/2026	0.1	0.65
ID-D2 (EPA Point 4)	06/02/2026	09/03/2026	0.2	0.87
ID-D3 (EPA Point 5)	06/02/2026	09/03/2026	0.4	1.48
ID-D4 (EPA Point 6)	06/02/2026	09/03/2026	No data	0.9
ID-D5 (EPA Point 7)	06/02/2026	09/03/2026	0.2	0.93
ID-D6 (EPA Point 8)	06/02/2026	09/03/2026	0.2	1.34
<b>Annual Average Limit</b>				<b>4.0</b>

Required Frequency: Monthly - exposure period 30 ± 2 days

### 3.2 PM<sub>10</sub> AND TSP

The 24-hour maximum PM<sub>10</sub> particulate matter concentration less than 10 microns (PM<sub>10</sub>) criterion of 50 µg/m<sup>3</sup> was not exceeded during February 2026.

The TSP and PM<sub>10</sub> annual rolling average results were calculated with the available data for the period of March 2025 to February 2026.

The average values were less than the annual average EPL limit as presented in **Table 2**.

Table 2: High Volume Air Sampler Monitoring Results: February 2026

<b>Obtained:</b> 02/04/2026 <b>Published:</b> 08/04/2026		<b>Premise:</b> Invincible Colliery <b>Licensee:</b> Shoalhaven Coal Pty Ltd <b>EPL Number:</b> 1095		
Sampling Point	Run Date	PM <sub>10</sub> (µg/m <sup>3</sup> )	PM <sub>2.5</sub> (µg/m <sup>3</sup> )	TSP (µg/m <sup>3</sup> )
HVAS1 (EPA Point 3)	05/02/2026	14.0	7.0	35
	11/02/2026	1.2	0.6	3
	17/02/2026	9.6	4.8	24
	23/02/2026	10.4	5.2	26
	27/02/2026	16	8.0	-
	30/02/2026	22	11.0	61
<b>Rolling Annual Average (Calculation period March 2025 to February 2026)</b>		13	7.0	24
<b>24 Hour Limit</b>		50	25	--
<b>Annual Average Limit</b>		30	8	90

Required Frequency: Weekly – High Volume Air Sample run events occur every six days for 24 hours.

-- No Limit

## 4 SURFACE WATER QUALITY

A discharge event is deemed to occur when water leaves the site either through the overflow channel of the Main Dam or as a result of actively pumping water. No discharge occurred from

the Main Dam Discharge Point 2 (LD002) during February 2026. A monthly sample was collected from the Main Dam for due diligence purposes only.

Water quality results are presented in **Table 3**.

**Table 3: Discharge Water Quality Results – February 2026**

<b>Sampled:</b> 05/02/2026 <b>Obtained:</b> 24/02/2026 <b>Published:</b> 08/04/2026		<b>Premise:</b> Invincible Colliery <b>Licensee:</b> Shoalhaven Coal Pty Ltd <b>EPL Number:</b> 1095		
<b>Sampling Point</b>	<b>Frequency</b>	<b>Pollutant</b>	<b>100 Percentile Concentration Limit</b>	<b>Sample Concentration</b>
Main Dam	Monthly (for due diligence)	pH (pH unit)	--	6.5
		TSS (mg/L)	--	12
		Oil & Grease (mg/L)	--	<5
		Conductivity (µs/cm)	--	1,000
		Cobalt (dissolved) (mg/L)	--	0.01
		Copper (dissolved) (mg/L)	--	<1
		Manganese (dissolved) (mg/L)	--	2.9
		Nickel (dissolved) (mg/L)	--	0.09
		Iron (Total) (mg/L)	--	0.6
		Zinc (Total) (mg/L)	--	0.2
Discharge Point 2 (LD002) (EPA Point 2)	Weekly during discharge	pH (pH unit)	6.5 – 8.5	N/A
		TSS (mg/L)	30	N/A
		Oil & Grease (mg/L)	10	N/A
		Conductivity (µs/cm)	650	N/A
		Cobalt (dissolved) (mg/L)	0.0014	N/A
		Copper (dissolved) (mg/L)	0.0014	N/A
		Manganese (dissolved) (mg/L)	1.9	N/A
		Nickel (dissolved) (mg/L)	0.011	N/A
		Iron (Total) (mg/L)	0.3	N/A
		Zinc (Total) (mg/L)	0.008	N/A

--No limit applies

## 5 NOISE LIMITS

Attended noise monitoring is required to be undertaken on a quarterly frequency. Noise Monitoring reports for previous quarters are available on the Castlereagh Coal website: <https://ccoal.com.au/environmental-reporting-compliance/>

## 6 BLASTING

No blasting was undertaken during February 2026.

## **7 DISCLAIMER**

This report is considered accurate at the date of issue with regard to current environmental conditions. Monitoring results may vary from those presented in this report following further assessment. This report must not be reproduced except in full. Results or figures from this report must not be used without acknowledgment.

Yours Faithfully,

**CASTLEREAGH COAL**